



EXPLODED VIEW



BILL OF MATERIALS




ADDITIONAL FRAME INFORMATION	
AVAILABLE FRAME SIZES	S, M, L, XL, XXL
WHEEL SIZE	29"
S.H.I.S.	ZS44/28.6 ZS56/40
MAX. FORK LENGTH [mm]	555
BB TYPE, WIDTH [mm]	BSA, 73
MAX CHAINRING SIZE	32T: S, 34T: M, 36T: L, XL, XXL
OLD [mm]	148
REAR BRAKE MOUNT [mm]	160, POST
SEATPOST DIAMETER [mm]	34.9
RECOMMENDED TIRE SIZE [IN.]	29" X 2.35" - 2.6"
SHOCK DIMENSIONS [LENGTH, STROKE] [mm]	210 X 50
SHOCK HARDWARE - BODY (W X ID) [mm]	20 X 8
SHOCK HARDWARE - SHAFT (W X ID) [mm]	30 X 8
REAR AXLE TYPE	TA 12mm L174/TL13/M12X1
ISCG 05 MOUNTS	YES
CHAIN LINE [mm]	52mm


CHAIN LENGTH (NUMBER OF LINKS)						
SPEC	CHAIN RING	S	M	L	XL	XXL
SRAM 1X12 EAGLE 11-50T	30T	112	114	114	116	116
SHIMANO 1X12 10-51T	30T	114	114	114	116	116
SHIMANO 1X11 11-51T	30T	114	114	114	116	116

ITEM NO.	SUPPORT PART NUMBER		DESCRIPTION
1	CONTACT CUSTOMER SERVICE	1	FT ASSEM, FLUID FS, MY22
2		1	CS ASSY, FLUID FS, MY22
3		1	SS, RH ASSEMBLY, FLUID FS, MY22
4		1	SS, LH ASSEMBLY, FLUID FS, MY22
5		1	LA, FLUID FS, MY22
6	913200-6901-EM	12	6901-LLU ENDURO MAX BEARING, 12X24X6MM
7	913500-012	1	SHAFT, DIA12, L82.5, M12X1.25, HEX6
8	913500-022	1	SHAFT, DIA12, L63.5, M8X1.25 INT, HEX6
9	913500-013-1	2	SHAFT, DIA12, L32, M12X1.25, M5X0.8 INT, HEX6
10	913500-019	2	SHAFT, M12X1.25, L26.5, HEX5
11	913500-015	1	SHAFT, DIA8, L40, M6X1 INT, HEX5
12	913800-012	1	SHAFT, DIA8, L30, M6X1 INT, HEX5
13	913700-004	2	BOLT, M6X1, L12, HEX5
14	913400-070	1	BOLT, M8X1.25, L10, HEX4
15	913400-047	1	M4X10MM SOCKET HEAD CAP SCREW
16	913400-031	4	M5X12MM BUTTON HEAD CAP SCREW
17	913700-002	1	NUT, M12X1.25, L7, HEX15
18	913300-010	4	SPACER, ID12, OD18, L3.5
19	913300-002	12	SPACER, ID12, OD18, L2
20	915000-009	1	SEAT POST CLAMP, 38.5mm
21	913020-004	1	RD HANGER, 2 PIECE, UDH BOLT V2, M12X1.75
22	913015-007	1	RD HANGER, 2 PIECE, UDH V2.1, M12X1
23	913105-011	1	NORCO AXLE, L174, TL13 M12X1
24	915100-025	1	DT PROTECTOR, FLUID FS, MY22
25	915200-027	1	CS PROTECTOR, OPTIC MY21
26	914100-054	1	GIZMO2, TWO POSITION CABLE COVER, ANGLED 5mm & 4mm
27	914100-038	1	GIZMO3S, GROMMET, SINGLE CABLE CENTERED
28	914100-045	2	GROMMET, CABLE PORT PLUG 5.5MM DIA


PIVOT HARDWARE




LINKARM TO FRONT TRIANGLE PIVOT




SHOCK PIVOTS



PIVOT HARDWARE




CHAIN STAY TO FRONT TRIANGLE PIVOT




CHAIN STAY TO SEAT STAY PIVOT


PIVOT HARDWARE



LINKARM TO SEAT STAY PIVOT
MIRRORED ARRANGEMENT ON RIGHT SEAT STAY




ACCESSORIES




FRAME ACCESSORIES


CABLE ROUTING



STANDARD LAYOUT



SELECT INTERNATIONAL LAYOUT



STANDARD LAYOUT - ISOMETRIC VIEW