


EXPLODED VIEW




BILL OF MATERIALS

ADDITIONAL FRAME INFORMATION	
AVAILABLE FRAME SIZES	S, M, L, XL
WHEEL SIZE	29"
S.H.I.S.	ZS44/28.6 ZS56/40
MAX. FORK LENGTH [mm]	555
BB TYPE, WIDTH [mm]	BSA, 73
MAX CHAINRING SIZE	32T: S, 34T: M, 36T: L, XL
OLD [mm]	148
REAR BRAKE MOUNT [mm]	160, POST
SEATPOST DIAMETER [mm]	34.9
RECOMMENDED TIRE SIZE [IN.]	29" X 2.35" - 2.6"
SHOCK DIMENSIONS [LENGTH, STROKE] [mm]	210 X 50
SHOCK HARDWARE - BODY (W X ID) [mm]	20 X 8
SHOCK HARDWARE - SHAFT (W X ID) [mm]	BEARING MOUNT
REAR AXLE TYPE	TA 12mm L174/TL13/M12X1
ISCG 05 MOUNTS	YES



CHAIN LENGTH (NUMBER OF LINKS)					
SPEC	CHAIN RING	S	M	L	XL
SRAM 1X12 EAGLE 11-50T	30T	112	114	114	116
SHIMANO 1X12 10-51T	30T	114	114	114	116

ITEM NO.	SUPPORT PART NUMBER	QTY.	DESCRIPTION
1	CONTACT CUSTOMER SERVICE	1	FT LARGE, FLUID CARBON, MY22
2		1	CS ASSY, FLUID FS, MY22
3		1	SS, RH ASSEMBLY, FLUID FS, MY22
4		1	SS, LH ASSEMBLY, FLUID FS, MY22
5		1	LA, FLUID FS, MY22
6	913200-6901-EM	12	6901-LLU ENDURO MAX BEARING, 12X24X6MM
7	913500-012	1	SHAFT, DIA12, L82.5, M12X1.25, HEX6
8	913500-022	1	SHAFT, DIA12, L63.5, M8X1.25 INT, HEX6
9	913500-013	1	SHAFT, DIA12, L32, M12X1.25, HEX6
10	913500-013-1	1	SHAFT, DIA12, L32, M12X1.25, M5X0.8 INT, HEX6
11	913500-019	2	SHAFT, M12X1.25, L26.5, HEX5
12	913500-015	1	SHAFT, DIA8, L40, M6X1 INT, HEX5
13	913800-012	1	SHAFT, DIA8, L30, M6X1 INT, HEX5
14	913700-004	2	BOLT, M6X1, L12, HEX5
15	913400-070	1	BOLT, M8X1.25, L10, HEX4
16	913400-031	4	M5X12MM BUTTON HEAD CAP SCREW
17	913400-088	1	M4X16MM LOW HEIGHT SOCKET HEAD CAP SCREW
18	913400-069	1	M4X10MM GRUB SCREW
19	913700-002	1	NUT, M12X1.25, L7, HEX15
20	913300-010	4	SPACER, ID12, OD18, L3.5
21	913300-002	12	SPACER, ID12, OD18, L2
22	915000-010	1	SEAT CLAMP, NORCO, POST 34.9, ST OD 38.5, H15.2
23	913020-004	1	RD HANGER, 2 PIECE, UDH BOLT V2, M12X1.75
24	913015-007	1	RD HANGER, 2 PIECE, UDH V2.1, M12X1
25	913105-011	1	NORCO AXLE, L174, TL13 M12X1
26	915100-026	1	DT PROTECTOR, FLUID CARBON, MY22
27	915200-027	1	CS PROTECTOR, OPTIC MY21
28	915500-021	1	SHUTTLE GUARD, SHORE, MY21
29	915300-004	1	SS INNER PROTECTOR, SIGHT CARBON, MY20
30	914100-054	1	GIZMO2, TWO POSITION CABLE COVER, ANGLED 5mm & 4mm
31	914100-055	1	GIZMO2, TWO POSITION CABLE COVER, ANGLED 5mm & BLANK
32	914100-053	1	DT CABLE TIE GROMMET V2, FLUID CARBON, MY23
33	914100-037	1	GIZMO3, 2P, 5mm & BLANK
34	914100-040	1	GIZMO3.1, 2P LOCKING
35	914100-028	1	GIZMO3, 2P, BLANK
36	914100-045	2	GROMMET, CABLE PORT PLUG 5.5MM DIA

PIVOT HARDWARE





LINKARM TO FRONT TRIANGLE PIVOT




SHOCK PIVOTS


PIVOT HARDWARE




PIVOT HARDWARE




LINKARM TO SEAT STAY PIVOT
MIRRORED ARRANGEMENT ON RIGHT SEAT STAY




FRAME ACCESSORIES




CABLE ROUTING



STANDARD LAYOUT



SELECT INTERNATIONAL LAYOUT



Route Shimano shift housing through top port.
Route SRAM shift housing through bottom port.

STANDARD LAYOUT - ISOMETRIC VIEW