



EXPLODED VIEW



Note: Refer to Page 7 for chain guide details.

BILL OF MATERIALS




| ADDITIONAL FRAME INFORMATION            |                         |          |
|-----------------------------------------|-------------------------|----------|
| CONFIGURATION                           | FREERIDE                | PARK     |
| AVAILABLE FRAME SIZES                   | S, M, L, XL             |          |
| WHEEL SIZE                              | 27.5"                   |          |
| S.H.I.S.                                | ZS44/28.6   ZS56/40     |          |
| MAX. FORK LENGTH [mm]                   | 582                     |          |
| BB TYPE, WIDTH [mm]                     | BSA THREADED, 73        |          |
| MAX CHAINRING SIZE                      | 36T                     |          |
| OLD [mm]                                | 148                     |          |
| REAR BRAKE MOUNT [mm]                   | 180, POST               |          |
| SEATPOST DIAMETER [mm]                  | 34.9                    |          |
| RECOMMENDED TIRE SIZE [IN.]             | 27.5" X 2.6"            |          |
| SHOCK DIMENSIONS [LENGTH X STROKE] [mm] | 225 X 70                | 225 X 75 |
| SHOCK HARDWARE - BODY (W X ID) [mm]     | TRUNNION                |          |
| SHOCK HARDWARE - SHAFT (W X ID) [mm]    | 30 X 10                 |          |
| REAR AXLE TYPE                          | TA 12mm L174/TL13/M12X1 |          |
| ISCG 05 MOUNTS                          | LOWER TWO MOUNTS ONLY   |          |

| CHAIN LENGTH (NUMBER OF LINKS) |      |     |     |     |     |
|--------------------------------|------|-----|-----|-----|-----|
| SPEC                           | YEAR | S   | M   | L   | XL  |
| SHORE A1                       | MY21 | 120 | 122 | 122 | 122 |
| SHORE A2                       | MY21 | 122 | 124 | 124 | 124 |
| SHORE PARK                     | MY21 | 114 | 114 | 114 | 114 |


| ITEM NO. | SUPPORT PART NUMBER      | QTY. | DESCRIPTION                                            |
|----------|--------------------------|------|--------------------------------------------------------|
| 1        | CONTACT CUSTOMER SERVICE | 1    | FT ASSY, SHORE ALUMINUM, MY21                          |
| 2        |                          | 1    | LA, SHORE, MY21                                        |
| 3        |                          | 1    | CS ASSY, SHORE, MY21                                   |
| 4        |                          | 1    | SS ASSY, SHORE, MY21                                   |
| 5        | 914200-007               | 1    | 16T IDLER WITH RETAINING CLIP, SHORE, MY21             |
| 6        | 913200-S6902             | 1    | S6902 LLB ENDURO STAINLESS BEARING, 15X28X7MM          |
| 7        | 913200-6900-EM           | 2    | 6900-LLU ENDURO MAX BEARING, 10X22X6MM                 |
| 8        | 913200-6901-EM           | 8    | 6901-LLU ENDURO MAX BEARING, 12X24X6MM                 |
| 9        | 913200-6902-EM           | 4    | 6902-LLU ENDURO MAX BEARING, 15X28X7MM                 |
| 10       | 913500-031               | 1    | SHAFT, DIA15, L82, M10X1.5 INT, HEX8                   |
| 11       | 913500-032               | 1    | SHAFT, DIA15, L110.5, M15X1.5, HEX8                    |
| 12       | 913500-013               | 2    | SHAFT, DIA12, L32, M12X1.25, HEX6                      |
| 13       | 913500-033               | 2    | SHAFT, DIA12, L20, M12X1.25 HEX5                       |
| 14       | 913500-025               | 1    | SHAFT, DIA10, L49, M6X1 INT, HEX5                      |
| 15       | 913800-005               | 2    | BOLT, M10X1, L17, HEX5                                 |
| 16       | 913700-003               | 1    | BOLT, M10X1.5, L13, HEX5                               |
| 17       | 913400-048               | 1    | BOLT, M6X1, L8.5, HEX5                                 |
| 18       | 913700-006               | 2    | NUT, M12X1.25, KEYED                                   |
| 19       | 913700-005               | 1    | NUT, M15X1.5, 18HEX                                    |
| 20       | 913700-009               | 1    | M4 NYLOC NUT                                           |
| 21       | 913400-057               | 1    | M5X16MM COUNTERSUNK SOCKET HEAD CAP                    |
| 22       | 913400-031               | 4    | M5X12MM BUTTON HEAD CAP SCREW                          |
| 23       | 913400-058               | 2    | M5X10MM LOW HEIGHT SOCKET HEAD CAP SCREW               |
| 24       | 913400-059               | 1    | M4X18MM SOCKET HEAD CAP SCREW                          |
| 25       | 913800-006               | 2    | TOPHAT, ID10, OD12, L3.5                               |
| 26       | 913300-003               | 5    | SPACER, ID15, OD22, L4                                 |
| 27       | 913300-001               | 2    | SPACER, ID12, OD18, L4                                 |
| 28       | 913300-002               | 4    | SPACER, ID12, OD18, L2                                 |
| 29       | 913300-010               | 2    | SPACER, ID12, OD18, L3.5                               |
| 30       | 913300-023               | 2    | SPACER, ID10, OD14, L4                                 |
| 31       | 914200-009               | 1    | INTERNAL RETAINING RING FOR ID 28mm, RING OD 30.1mm    |
| 32       | 915000-008               | 1    | NORCO SEATPOST CLAMP, 38.4mm                           |
| 33       | 913105-011               | 1    | NORCO AXLE, L174, TL13 M12X1                           |
| 34       | 913015-007               | 1    | RD HANGER, 2 PIECE, UDH V2.1, M12X1                    |
| 35       | 913020-004               | 1    | RD HANGER, 2 PIECE, UDH BOLT V2, M12X1.75              |
| 36       | 914200-010-1             | 1    | CHAIN GUIDE INNER PLATE V2, SHORE, MY21                |
| 37       | 914200-011-1             | 1    | CHAIN GUIDE OUTER PLATE V2, SHORE, MY21                |
| 38       | 914200-014               | 1    | ONEUP GUIDE, SPACER, V2, BLACK                         |
| 39       | 914200-012               | 1    | CHAIN GUIDE, LOCKNUT                                   |
| 40       | 914200-013               | 1    | CHAIN GUIDE O-RING                                     |
| 41       | 915500-028               | 1    | BASH GUARD, SHORE, MY21                                |
| 42       | 915500-021               | 1    | SHUTTLE GUARD, SHORE, MY21                             |
| 43       | 915100-017               | 1    | DT GUARD, SHORE, MY21                                  |
| 44       | 915200-026               | 1    | CS PROTECTOR, SHORE, MY21                              |
| 45       | 915300-008               | 1    | SS PROTECTOR, SHORE, MY21                              |
| 46       | 914100-038               | 1    | GIZMO3S, GROMMET, SINGLE CABLE CENTERED                |
| 47       | 914100-035               | 1    | GIZMO3S, GROMMET, BLANK                                |
| 48       | 915100-018               | 2    | ST PROTECTOR, SHORE, MY21                              |
| 49       | 914200-018               | 1    | E*THIRTEEN , CG3UPM, VARIO LOWER CHAIN GUIDE, CL52 36T |
| 50       | 918000-005               | 1    | T25 / 3mm HEX IDLER GUIDE TOOL                         |
| 51       | 915100-021               | 1    | ST PIVOT PROTECTORS, SHORE MY21                        |
| 52       | 915100-021               | 1    | ST PIVOT PROTECTOR LH, SHORE MY21                      |

TORQUE SEQUENCE




| INDEX | PIVOT NAME                   | TORQUE     | TOOL                   |
|-------|------------------------------|------------|------------------------|
| 1     | FRONT TRIANGLE TO LINKARM    | 12 Nm      | 5mm & 8mm HEX          |
| 2     | LINKARM TO SHOCK             | 8 Nm       | 5mm HEX                |
| 3     | FRONT TRIANGLE TO SHOCK      | 8 Nm       | 5mm HEX                |
| 4     | CHAIN GUIDE BOLTS            | 2 Nm       | 3mm, 4mm HEX & TORX 20 |
| 5     | CHAIN STAY TO FRONT TRIANGLE | 18 Nm      | 18mm WRENCH & 8mm HEX  |
| 6     | CHAIN STAY TO SEAT STAY      | 10 Nm      | 5mm HEX                |
| 7     | LINKARM TO SEAT STAY         | 16 Nm      | 5mm HEX                |
| 8     | HANGER                       | 20 Nm (LH) | 8mm HEX                |
| 9     | AXLE                         | 10 Nm      | 6mm HEX                |
| 10    | BOTTLE CAGE BOLTS            | 3 Nm       | 3mm HEX                |
| 11    | SEAT CLAMP                   | 5 Nm       | 4mm HEX                |
| 12    | BASH GUARD BOLTS             | 3 Nm       | 3mm hex                |

PIVOT HARDWARE




FRONT TRIANGLE TO LINKARM PIVOT




LINKARM TO SHOCK PIVOT

FRONT TRIANGLE TO SHOCK PIVOT

PIVOT HARDWARE




CHAIN STAY TO FRONT TRIANGLE PIVOT




CHAIN STAY TO SEAT STAY PIVOT

PIVOT HARDWARE




LINKARM TO SEAT STAY PIVOT  
SAME ARRANGEMENT ON BOTH SIDES




AXLE AND HANGER


FRAME ACCESSORIES



ACCESORIES OVERVIEW




CHAIN GUIDE




STAY PROTECTOR POSITIONING


CABLE ROUTING



STANDARD LAYOUT



SELECT INTERNATIONAL LAYOUT



STANDARD LAYOUT ISOMETRIC VIEW